



NATURALIS
COMPATIBILITY CHART
FUNGICIDES

may 2008

ACTIVE INGREDIENT	TRADE NAME	COMPATIBILITY'
<i>Ampelomyces quisqualis</i> isolate M-10	AQ10	
AZOXYSTROBIN	QUADRIS	
<i>Bacillus subtilis</i> strain QST 713	SERENADE	
BENLAXIL	GALBEN	
BITERTANOLE	PROCLAIM	-
BORDEAUX MIXTURE	many	
BOSCALID	CANTUS	
BUPIRIMATE	NIMROD	
CAPTAN	many	
CHLOROTHALONIL	DACONIL	
COPPER HYDROXIDE	KOCIDE/HELIOCUIVRE	
COPPER OXYCHLORIDE	many	
CYAZOFAMID	MILDICUT	-
CYMOXANIL	CURZATE	-
CYPROCONAZOLE	ATEMI/CADDY	
CYPRODINIL + FLUDIOXONIL	SWITCH	
DICHLORAN	many	-
DIFENOCONAZOLE	SCORE	-
DIMETHOMORPH	FORUM 50 WP	
FAMOXADONE	EQUATION PRO	
FENAMIDONE	ORACLE	
FENARIMOL	RUBIGAN	-
FENBUCONAZOLE	INDAR	-
FENHEXAMID	TELDOR	
FOLPET	many	-
FOSETYL-ALUMINIUM	ALIETTE 80%	
IPRODIONE	ROVRAL	
IPROVALICARB	MELODY COMPACT	
KRESOXIM METHYL	STROBY	
MANCOZEB	DITHANE DG	-
MANEB	many	

MEPANIPYRIM	FRUPICA	
MEPTYLDINOCAP	KARATHANE STAR	
METALAXYL	RIDOMIL	-
METIRAM	POLYRAM DF	-
MYCLOBUTANIL	THIOCUR	
PENCONAZOLE	TOPAS	
PENCYCURON	MONCEREN	
PROCHLORAZ	many	
PROPAMOCARB	PREVICUR	
PROPICONAZOLE	TILT	
PROPINEB	ANTRACOL	
PROQUINAZID	TALENDO	
PYRIMETHANIL	SCALA	
QUINOXYFEN	ARIUS	
SPIROXAMINE	PROSPER	
SULPHUR	many	
SULPHUR + TERPENIC ALCOHOL	HELIOSOUFRE	
TEBUCONAZOLE	FOLICUR	
TETRACONAZOLE	DOMARK	-
THIABENDAZOLE	many	-
THIOFANATE-METHYL	many	
THIRAM	many	
TOLCLOFOS-METHYL	many	-
TRIADIMENOL	BAYFIDAN	
TRIFLOXYSTROBIN	FLINT	
TRIFORINE	RUBIGAN	
ZINEB	many	-
ZIRAM	many	-
ZOXAMIDE	ELECTIS R	-

EXPLANATORY NOTE

	COMPATIBLE in tank mixture without significant spore germination reduction
	NOT COMPATIBLE, <u>do not tank mix with NATURALIS</u>; apply NATURALIS <u>2 days</u> before or after the fungicide treatment
	NOT COMPATIBLE, <u>do not tank mix with NATURALIS</u>; apply NATURALIS <u>4 days</u> before or after the fungicide treatment
-	NO DATA AVAILABLE
	New entry

N.B. All products were tested at manufacturers recommended rates. Mix NATURALIS with fungicides only at tank mix concentration. Never mix NATURALIS with a fungicide in its concentrated form. The fungicides trade name is indicative of the form in which the active ingredient was tested. Other formulations may be more or less harmful. In case 2 or more fungicides are tank mixed, consider always the worst case. This edition is for international purposes, some products may not be registered in some countries or in certain crops. No liability will be accepted for any loss or damage as a result of using products listed in this chart.

For any further information please contact:



INTRACHEM BIO ITALIA S.p.A., Servizio Tecnico e R. & D.
Via Calcinaro 2085/ int.7, 47023 Cesena (FC)
Tel. 0547 630336, Fax 0547 632685
e-mail: sti@intrachem.com